

STYLE DPU HEAVY DUTY PISTON U-SEALS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	D GROOVE WIDTH	H GROOVE DIAMETER	J BORE DIAMETER	
DPU25-5.00-37	5	5-1/2	3/8	.406 ⁺⁰¹⁵ / ₊₀₀₀	5.000 ⁺⁰⁰⁰ / _{-.004}	5.500 ⁺⁰¹⁰ / ₊₀₀₀	
DPU25-5.00-56	5	5-1/2	9/16	.594 ⁺⁰¹⁵ / ₊₀₀₀	5.000 ⁺⁰⁰⁰ / _{-.004}	5.500 ⁺⁰¹⁰ / ₊₀₀₀	
DPU25-5.50-25	5-1/2	6	1/4	.281 ⁺⁰¹⁵ / ₊₀₀₀	5.500 ⁺⁰⁰⁰ / _{-.004}	6.000 ⁺⁰¹⁰ / ₊₀₀₀	
DPU25-5.50-37	5-1/2	6	3/8	.406 ⁺⁰¹⁵ / ₊₀₀₀	5.500 ⁺⁰⁰⁰ / _{-.004}	6.000 ⁺⁰¹⁰ / ₊₀₀₀	
DPU25-5.50-50	5-1/2	6	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	5.500 ⁺⁰⁰⁰ / _{-.004}	6.000 ⁺⁰¹⁰ / ₊₀₀₀	
DPU25-5.50-56	5-1/2	6	9/16	.594 ⁺⁰¹⁵ / ₊₀₀₀	5.500 ⁺⁰⁰⁰ / _{-.004}	6.000 ⁺⁰¹⁰ / ₊₀₀₀	
5/16" C/S							
DPU31-1.12-50	1-1/8	1-3/4	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	1.125 ⁺⁰⁰⁰ / _{-.003}	1.750 ⁺⁰⁰⁷ / ₊₀₀₀	
DPU31-1.25-47	1-1/4	1-7/8	.471	.500 ⁺⁰¹⁵ / ₊₀₀₀	1.250 ⁺⁰⁰⁰ / _{-.003}	1.875 ⁺⁰⁰⁷ / ₊₀₀₀	
DPU31-1.37-37	1-3/8	2	3/8	.406 ⁺⁰¹⁵ / ₊₀₀₀	1.375 ⁺⁰⁰⁰ / _{-.003}	2.000 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU31-1.37-43	1-3/8	2	7/16	.468 ⁺⁰¹⁵ / ₊₀₀₀	1.375 ⁺⁰⁰⁰ / _{-.003}	2.000 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU31-1.37-44	1-3/8	2	7/16	.468 ⁺⁰¹⁵ / ₊₀₀₀	1.375 ⁺⁰⁰⁰ / _{-.003}	2.000 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU31-1.37-50	1-3/8	2	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	1.375 ⁺⁰⁰⁰ / _{-.003}	2.000 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU31-1.62-50	1-5/8	2-1/4	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	1.625 ⁺⁰⁰⁰ / _{-.003}	2.250 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU31-1.87-37	1-7/8	2-1/2	3/8	.406 ⁺⁰¹⁵ / ₊₀₀₀	1.875 ⁺⁰⁰⁰ / _{-.003}	2.500 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU31-1.87-50	1-7/8	2-1/2	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	1.875 ⁺⁰⁰⁰ / _{-.003}	2.500 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU31-2.37-37	2-3/8	3	3/8	.406 ⁺⁰¹⁵ / ₊₀₀₀	2.375 ⁺⁰⁰⁰ / _{-.003}	3.000 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU31-2.37-50	2-3/8	3	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	2.375 ⁺⁰⁰⁰ / _{-.003}	3.000 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU31-2.87-50	2-7/8	3-1/2	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	2.875 ⁺⁰⁰⁰ / _{-.003}	3.500 ⁺⁰⁰⁹ / ₊₀₀₀	
DPU31-3.37-37	3-3/8	4	3/8	.406 ⁺⁰¹⁵ / ₊₀₀₀	3.375 ⁺⁰⁰⁰ / _{-.004}	4.000 ⁺⁰⁰⁹ / ₊₀₀₀	
DPU31-3.37-50	3-3/8	4	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	3.375 ⁺⁰⁰⁰ / _{-.004}	4.000 ⁺⁰⁰⁹ / ₊₀₀₀	
DPU31-3.62-37	3-5/8	4-1/4	3/8	.406 ⁺⁰¹⁵ / ₊₀₀₀	3.625 ⁺⁰⁰⁰ / _{-.004}	4.250 ⁺⁰⁰⁹ / ₊₀₀₀	
DPU31-3.62-50	3-5/8	4-1/4	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	3.625 ⁺⁰⁰⁰ / _{-.004}	4.250 ⁺⁰⁰⁹ / ₊₀₀₀	
DPU31-3.87-50	3-7/8	4-1/2	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	3.875 ⁺⁰⁰⁰ / _{-.004}	4.500 ⁺⁰⁰⁹ / ₊₀₀₀	
DPU31-5.37-50	5-3/8	6	1/2	.531 ⁺⁰¹⁵ / ₊₀₀₀	5.375 ⁺⁰⁰⁰ / _{-.004}	6.000 ⁺⁰¹⁰ / ₊₀₀₀	
.3205" C/S							
DPU32-1.62-39	1-5/8	2.266	.39	.421 ⁺⁰¹⁵ / ₊₀₀₀	1.625 ⁺⁰⁰⁰ / _{-.003}	2.266 ⁺⁰⁰⁸ / ₊₀₀₀	
3/8" C/S							
DPU37-1.75-62	1-3/4	2-1/2	5/8	.626 ⁺⁰⁴⁵ / ₊₀₃₀	1.750 ⁺⁰⁰⁰ / _{-.003}	2.500 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU37-2.25-62	2-1/4	3	5/8	.656 ⁺⁰¹⁵ / ₊₀₀₀	2.250 ⁺⁰⁰⁰ / _{-.003}	3.000 ⁺⁰⁰⁸ / ₊₀₀₀	
DPU37-2.50-62	2-1/2	3-1/4	5/8	.656 ⁺⁰¹⁵ / ₊₀₀₀	2.500 ⁺⁰⁰⁰ / _{-.003}	3.250 ⁺⁰⁰⁹ / ₊₀₀₀	
DPU37-2.75-37	2-3/4	3-1/2	3/8	.406 ⁺⁰¹⁵ / ₊₀₀₀	2.750 ⁺⁰⁰⁰ / _{-.003}	3.500 ⁺⁰⁰⁹ / ₊₀₀₀	
DPU37-2.75-62	2-3/4	3-1/2	5/8	.656 ⁺⁰¹⁵ / ₊₀₀₀	2.750 ⁺⁰⁰⁰ / _{-.003}	3.500 ⁺⁰⁰⁹ / ₊₀₀₀	
DPU37-3.00-37	3	3-3/4	3/8	.406 ⁺⁰¹⁵ / ₊₀₀₀	3.000 ⁺⁰⁰⁰ / _{-.004}	3.750 ⁺⁰⁰⁹ / ₊₀₀₀	

PISTON U-SEALS

STYLE DPU HEAVY DUTY PISTON U-SEALS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	D GROOVE WIDTH	H GROOVE DIAMETER	J BORE DIAMETER	
DPU37-3.00-47-AN	3	3-3/4	.469	.500 +.015 +.000	3.000 +.000 -.004	3.750 +.009 +.000	
DPU37-3.00-50	3	3-3/4	1/2	.531 +.015 +.000	3.000 +.000 -.004	3.750 +.009 +.000	
DPU37-3.25-37	3-1/4	4	3/8	.406 +.015 +.000	3.250 +.000 -.004	4.000 +.009 +.000	
DPU37-3.25-50	3-1/4	4	1/2	.531 +.015 +.000	3.250 +.000 -.004	4.000 +.009 +.000	
DPU37-3.25-62	3-1/4	4	5/8	.656 +.015 +.000	3.250 +.000 -.004	4.000 +.009 +.000	
DPU37-3.50-37	3-1/2	4-1/4	3/8	.406 +.015 +.000	3.500 +.000 -.004	4.250 +.009 +.000	
DPU37-3.75-37	3-3/4	4-1/2	3/8	.406 +.015 +.000	3.750 +.000 -.004	4.500 +.009 +.000	
DPU37-3.75-50	3-3/4	4-1/2	1/2	.531 +.015 +.000	3.750 +.000 -.004	4.500 +.009 +.000	
DPU37-3.75-62	3-3/4	4-1/2	5/8	.656 +.015 +.000	3.750 +.000 -.004	4.500 +.009 +.000	
DPU37-4.25-37	4-1/4	5	3/8	.406 +.015 +.000	4.250 +.000 -.004	5.000 +.010 +.000	
DPU37-4.25-50	4-1/4	5	1/2	.531 +.015 +.000	4.250 +.000 -.004	5.000 +.010 +.000	
DPU37-4.25-62	4-1/4	5	5/8	.656 +.015 +.000	4.250 +.000 -.004	5.000 +.010 +.000	
DPU37-4.37-50	4-3/8	5-1/8	1/2	.531 +.015 +.000	4.375 +.000 -.004	5.125 +.010 +.000	
DPU37-4.50-37	4-1/2	5-1/4	3/8	.406 +.015 +.000	4.500 +.000 -.004	5.250 +.010 +.000	
DPU37-4.50-50	4-1/2	5-1/4	1/2	.531 +.015 +.000	4.500 +.000 -.004	5.250 +.010 +.000	
DPU37-4.50-62	4-1/2	5-1/4	5/8	.656 +.015 +.000	4.500 +.000 -.004	5.250 +.010 +.000	
DPU37-4.75-50	4-3/4	5-1/2	1/2	.531 +.015 +.000	4.750 +.000 -.004	5.500 +.010 +.000	
DPU37-4.75-62	4-3/4	5-1/2	5/8	.656 +.015 +.000	4.750 +.000 -.004	5.500 +.010 +.000	
DPU37-5.00-50	5	5-3/4	1/2	.531 +.015 +.000	5.000 +.000 -.004	5.750 +.010 +.000	
DPU37-5.25-37	5-1/4	6	3/8	.406 +.015 +.000	5.250 +.000 -.004	6.000 +.010 +.000	
DPU37-5.25-50	5-1/4	6	1/2	.531 +.015 +.000	5.250 +.000 -.004	6.000 +.010 +.000	
DPU37-5.25-62	5-1/4	6	5/8	.656 +.015 +.000	5.250 +.000 -.004	6.000 +.010 +.000	
DPU37-5.50-37	5-1/2	6-1/4	3/8	.406 +.015 +.000	5.500 +.000 -.004	6.250 +.010 +.000	
DPU37-5.75-37	5-3/4	6-1/2	3/8	.406 +.015 +.000	5.750 +.000 -.004	6.500 +.010 +.000	
DPU37-5.75-62	5-3/4	6-1/2	5/8	.656 +.015 +.000	5.750 +.000 -.004	6.500 +.010 +.000	
DPU37-6.00-50	6	6-3/4	1/2	.531 +.015 +.000	6.000 +.000 -.004	6.750 +.010 +.000	
DPU37-6.25-37	6-1/4	7	3/8	.406 +.015 +.000	6.250 +.000 -.004	7.000 +.011 +.000	
DPU37-6.25-50	6-1/4	7	1/2	.531 +.015 +.000	6.250 +.000 -.004	7.000 +.011 +.000	
DPU37-6.25-62	6-1/4	7	5/8	.656 +.015 +.000	6.250 +.000 -.004	7.000 +.011 +.000	
DPU37-6.50-62	6-1/2	7-1/4	5/8	.656 +.015 +.000	6.500 +.000 -.004	7.250 +.011 +.000	
DPU37-6.75-50	6-3/4	7-1/2	1/2	.531 +.015 +.000	6.750 +.000 -.004	7.500 +.011 +.000	
DPU37-7.25-37	7-1/4	8	3/8	.406 +.015 +.000	7.250 +.000 -.005	8.000 +.011 +.000	
DPU37-7.25-50	7-1/4	8	1/2	.531 +.015 +.000	7.250 +.000 -.005	8.000 +.011 +.000	

PISTON U-SEALS



STYLE DPU HEAVY DUTY PISTON U-SEALS

Part Number	A Nom. ID	B Nom. OD	C Nom. Ht	D GROOVE WIDTH	H GROOVE DIAMETER	J BORE DIAMETER	
DPU37-7.25-62	7-1/4	8	5/8	.656 +0.015 +0.000	7.250 +0.000 -0.005	8.000 +0.011 +0.000	
.383" C/S							
DPU38-2.00-48	2	2.766	.486	.517 +0.015 +0.000	2.000 +0.000 -0.003	2.766 +0.008 +0.000	
DPU38-2.50-48	2-1/2	3.266	.486	.517 +0.015 +0.000	2.500 +0.000 -0.003	3.266 +0.009 +0.000	
1/2" C/S							
DPU50-4.12-59	4-1/8	5-1/8	19/32	.649 +0.015 +0.000	4.125 +0.000 -0.004	5.125 +0.010 +0.000	
DPU50-5.00-50	5	6	1/2	.531 +0.015 +0.000	5.000 +0.000 -0.004	6.000 +0.010 +0.000	
DPU50-5.25-62	5-1/4	6-1/4	5/8	.656 +0.015 +0.000	5.250 +0.000 -0.004	6.250 +0.010 +0.000	
DPU50-5.50-62	5-1/2	6-1/2	5/8	.656 +0.015 +0.000	5.500 +0.000 -0.004	6.500 +0.010 +0.000	
DPU50-6.00-75	6	7	3/4	.781 +0.015 +0.000	6.000 +0.000 -0.004	7.000 +0.011 +0.000	
DPU50-6.50-62	6-1/2	7-1/2	5/8	.656 +0.015 +0.000	6.500 +0.000 -0.004	7.500 +0.011 +0.000	
DPU50-6.50-75	6-1/2	7-1/2	3/4	.781 +0.015 +0.000	6.500 +0.000 -0.004	7.500 +0.011 +0.000	
DPU50-7.00-50	7	8	1/2	.531 +0.015 +0.000	7.000 +0.000 -0.005	8.000 +0.011 +0.000	
DPU50-7.00-75	7	8	3/4	.781 +0.015 +0.000	7.000 +0.000 -0.005	8.000 +0.011 +0.000	
DPU50-7.50-62	7-1/2	8-1/2	5/8	.656 +0.015 +0.000	7.500 +0.000 -0.005	8.500 +0.011 +0.000	
DPU50-7.50-75	7-1/2	8-1/2	3/4	.781 +0.015 +0.000	7.500 +0.000 -0.005	8.500 +0.011 +0.000	
DPU50-8.00-75	8	9	3/4	.781 +0.015 +0.000	8.000 +0.000 -0.005	9.000 +0.012 +0.000	
DPU50-9.00-62	9	10	5/8	.656 +0.015 +0.000	9.000 +0.000 -0.005	10.000 +0.012 +0.000	
DPU50-9.00-75	9	10	3/4	.781 +0.015 +0.000	9.000 +0.000 -0.005	10.000 +0.012 +0.000	
DPU50-10.00-62	10	11	5/8	.656 +0.015 +0.000	10.000 +0.000 -0.006	11.000 +0.012 +0.000	
DPU50-10.00-75	10	11	3/4	.781 +0.015 +0.000	10.000 +0.000 -0.006	11.000 +0.012 +0.000	
DPU50-11.00-62	11	12	5/8	.656 +0.015 +0.000	11.000 +0.000 -0.006	12.000 +0.012 +0.000	
DPU50-11.00-75	11	12	3/4	.781 +0.015 +0.000	11.000 +0.000 -0.006	12.000 +0.012 +0.000	
5/8" C/S							
DPU62-3.50-56	3-1/2	4-3/4	9/16	.594 +0.015 +0.000	3.500 +0.000 -0.004	4.750 +0.009 +0.000	
DPU62-9.25-75	9-1/4	10-1/2	3/4	.781 +0.015 +0.000	9.250 +0.000 -0.005	10.500 +0.012 +0.000	

PISTON U-SEALS

